



Timber Pole Innovation.

NZ Poles
PO Box 99472, Newmarket
Auckland 1149, New Zealand

TEL +64 9 550 3125
FAX +64 9 550 3125
EMAIL info@nzpoles.com
WEB www.nzpoles.com

NZ Pole Size Chart SED

Standard Treatments H5 CCA, H6 CCA
Custom Treatments Available H6+ CCA Tropical, H5 ACQ, H5 MCA

SED (mm)	125-149	150-174	175-199	200-224	225-249	250-274	275-299	300-324	325-349	350-374	375-399	400-424	425-449	450-474	475-500	500-525
LENGTH																
1.8M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2.4M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
2.7M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
3.0M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
3.6M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
4.2M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
4.8M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
5.4M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
6.0M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
7.0M	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
8.0M		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
9.0M		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
10.0M		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
11.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
12.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
13.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
14.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
15.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
16.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
17.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●
18.0M			●	●	●	●	●	●	●	●	●	●	●	●	●	●

NOTE:
 * All poles are carefully selected, graded, and treated to comply with NZS3605 & NZS3640.
 * All poles are naturally tapered graded to the Small End Diameter (SED). Typical pole diameter taper is approx 6mm per meter length - this is a natural product so tapers may vary on individual poles
 * Other lengths & diameters may be available by special order
 * All poles can be stress-graded specifically for High Density
 * Size availability are subject to change without notice.